

## REFERENCES CITED

1. Smedley BD, Syme SL. Promoting Health: Intervention Strategies From Social and Behavioral Research. Washington, DC: National Academy Press. 1999.
2. Abt Associates. CO-BRA Medicare Prevention Demonstration. *Health Care Financing Administration Contract No HCFA 500-92-0057*. 1995.
3. Mayer JA, Jermanovich A, Wright BL, et al. Changes in health behaviors of older adults: the San Diego Medicare Preventive Health Project. *Prev Med.* 1994;23(2):127-33.
4. Elder JP, Williams SJ, Drew JA, et al. Longitudinal effects of preventive services on health behaviors among an elderly cohort. *Am J Prev Med.* 1995;11(6):354-9.
5. Patrick DL, Grembowski D, Durham M, et al. Cost and outcomes of Medicare reimbursement for HMO preventive services. *Health Care Financ Rev.* 1999;20(4):25-43.
6. Williams SJ, Elder JP, Seidman RL, et al. Preventive services in a Medicare managed care environment. *J Community Health.* 1997;22(6):417-18.
7. Leigh JP, Richardson N, Beck R, et al. Randomized controlled study of a retiree health promotion program. The Bank of American Study. *Arch Intern Med.* 1992;152(6):1201-6.
8. Morrissey J.P., Harris RP, Norburn JK, et al. Medicare reimbursement for preventive care. Changes in performance of services, quality of life, and health care costs. *Med Care.* 1995;33:315-331.
9. Morris EV, Isaacs B. The prevention of falls in a geriatric hospital. *Age and Ageing.* 1980;9:181-85.
10. Lave JR, Ives DG, Traven ND, et al. Evaluation of a health promotion demonstration program for the rural elderly. *Health Serv Res.* 1996;31(3):261-81.
11. Fries JF, Fries ST, Parcell CL, et al. Health risk changes with a low-cost individualized health promotion program: effects at up to 30 months. *Am J Health Promot.* 1992;6(5):364-71.
12. Fries JF, Bloch DA, Harrington H, et al. Two-year results of a randomized controlled trial of a health promotion program in a retiree population: The Bank of America Study. *Am J Med.* 1993;94(5):455-62.
13. Fries JF, Koop CE, Beadle CE, et al. Reducing health care costs by reducing the need and demand for medical services. The Health Project Consortium. *N Engl J Med.* 1993;329(5):321-5.
14. Fries JF, McShane D. Reducing need and demand for medical services in high-risk persons. A health education approach. *West J Med.* 1998;169(4):201-7.
15. Golaszewski T, Snow D, Lynch W, et al. A benefit-to-cost analysis of a work site health promotion program. *J Occup Med.* 1992;34(12):1164-1172.
16. Harvey MR, Shitmer RW, Hilyer J, et al. The impact of a comprehensive medical benefits cost management program for the city of Birmingham: Results at five years. *Am J Health Promot.* 1993;7(4):296-303.
17. Ozminkowski RJ, Dunn RL, Goetzel RZ, et al. A return on investment evaluation of the Citibank, N.A., Health Management Program. *Am J Health Promot.* 1999;14(1):31-43.
18. Friedman RH. Automated telephone conversations to assess health behavior and deliver behavioral interventions. *J Med Syst.* 1998;22(2):95-102.
19. Gibbons M. The evolution of an HRA process and technology to meet customer needs. *Proceedings of the 34th Annual Meeting of the Society of Prospective Medicine*. Newport, Rhode Island. 1998.
20. US Bureau of the Census. Current Population Reports, Special Studies, P23-190. Washington, DC: US Government Printing Office. 1996.
21. Collins JG. Prevalence of selected chronic conditions: United States, 1990-1992. National Center for Health Statistics. *Vital Health Stat.* 1997;10(194).
22. Benson V, Marano MA. Current estimates from the National Health interview Survey, 1995. National Center for Health Statistics. *Vital Health Stat* 10. 1998;10(199):1-428.
23. Amir D. Preventive behavior and health status among the elderly. *Psych Health.* 1987;1:353-378.
24. Kaplan GA, Haan MN. Is there a role for prevention among the elderly? In: Ory MG, Bond K. (Eds) *Aging and Health Care: Social Science and Policy Perspectives*. London: Tavistock, 1989. pgs. 27-52.
25. Davis MA, Neuhaus JM, Moritz DJ, et al. Health behaviors and survival among middle-aged and older men and women in the NHANES I Epidemiologic Follow-up Study. *Prev Med.* 1994;23(3):369-76.
26. Guralnik JM, Kaplan GA. Predictors of healthy aging: prospective evidence from the Alameda County study. *Am J Public Health.* 1989;79(6):703-8.
27. Black GC, Ashton AL Jr. Health risk appraisal in primary care. *Prim Care.* 1985;12(3):557-71.

## REFERENCES CITED

28. Breslow L, Beck JC, Morgenstern H, et al. Development of a health risk appraisal for the elderly (HRA-E). *Am J Health Promot.* 1997;11(5):337-43.
29. Schoenbach VJ. Appraising health risk appraisal. *Am J Public Health.* 1987;77:409-411.
30. Kreuter MW, Strecher VJ, Glassman. One size does not fit all: The case for tailoring print materials. *Ann Behav Med.* 1999;21(4):276-83.
31. Belloc NB, Breslow L. Relationship of physical health status and health practices. *Prev Med.* 1972;13:409-421.
32. Fletcher DJ, Smith GL. Health-risk appraisal: helping patients predict and prevent health problems. *Postgrad Med.* 1986;80:69-82.
33. Becker MH, Janz NK. On the effectiveness and utility of health hazard/health risk appraisal in clinical and nonclinical settings. *Health Serv Res.* 1987;22:537-551.
34. National Center for Health Statistics. Health, United States, 1999 With Health and Aging Chartbook. Hyattsville, MD: National Center for Health Statistics. 1999.
35. Rowe JW, Kahn RL. Successful Aging. New York, NY: Random House. 1998.
36. Stamler J, Stamler R, Neaton JD, et al. Low risk-factor profile and long-term cardiovascular and noncardiovascular mortality and life expectancy. *JAMA.* 1999;282(21):2012-2018.
37. Stampfer MJ, Hu FB, Manson JE, et al. Primary prevention of coronary heart disease in women through diet and lifestyle. *N Engl J Med.* 2000;343:16-22.
38. Schoenbach VJ, Wagner EH, Beery WL. Health risk appraisal: review of the evidence for effectiveness. *Health Serv Res.* 1987;22:553-580.
39. Society of Prospective Medicine. Prospective Medicine: the tools, the data, the interventions, and the outcomes. *Proceedings of the 35th Annual Meeting of the Society of Prospective Medicine* : Colorado Springs, Colorado. 1999.
40. Hyner GC, Perterson KW, Travis JW. SPM Handbook of Health Assessment Tools. Pittsburgh, PA: The Society of Prospective Medicine a& the Institute for Health and Productivity Management. 1999.
41. Smith WA, Ekdahl SS, Henley CE. Use of Health Hazard Appraisal in counseling for reduction of risk factors. *J Am Osteopath Assoc.* 1985;85(12):809-14.
42. Gomel M, Oldenburg B, Simpson JM, et al. Work-site cardiovascular risk reduction: a randomized trial of health risk assessment, education, counseling, and incentives. *Am J Public Health.* 1993;83(9):1231-8.
43. Family Heart Study Group. Randomised controlled trial evaluating cardiovascular screening and intervention in general practice: principal results of British family heart study. *BMJ.* 1994;308:313-20.
44. Burton LC, Steinwachs DM, German PS, et al. Preventive services for the elderly: would coverage affect utilization and costs under Medicare? *Am J Public Health.* 1995;85(3):387-391.
45. German PS, Burton LC, Shapiro S, et al. Extended coverage for preventive services for the elderly: response and results in a demonstration population. *Am J Public Health.* 1995;85(3):379-386.
46. Wilbur C, Gamer G. Marketing health to employees. In: Frederiksen L, et al. (Eds) *Marketing Health Behavior.* New York: Plenum, 1987.
47. Blair SN, Piserchia PV, Wilbur CS, et al. A public health intervention model for worksite health promotion: impact on exercise and physical fitness in a health promotion plan after 24 months. *JAMA.* 1986;255(7):921-6.
48. Shipley RH, Orleans CT, Wilbur CS, et al. Effect of the Johnson & Johnson Live for Life program on employee smoking. *Prev Med.* 1988;17(1):25-34.
49. Weinstein ND, Grubb PD, Vautier JS. Increasing automobile seat belt use: an intervention emphasizing risk susceptibility. *J Appl Psychol.* 1986;71(2):285-290.
50. Johns RE. Health hazard appraisal--A useful tool in health education? *Proceedings of the 12th Annual Meeting of the Society of Prospective Medicine*: Bethesda, MD, 1977:61-65.
51. Connell CM, Sharpe PA, Gallant MP. Effect of health risk appraisal on health outcomes in a university worksite health promotion trial. *Health Educ Res.* 1995;10:199-209.
52. Nice D, Woodruff S. Self-selection in responding to a health risk appraisal: Are we preaching to the choir? *Am J Health Promot.* 1990;4:367-372.
53. Logsdon DN, Lazaro CM, Meier RV. The feasibility of behavioral risk reduction in primary medical care. *Am J Prev Med.* 1989;5(5):249-56.
54. Shi L. The impact of increasing intensity of health promotion intervention on risk reduction. *Eval Health Prof.* 1992;15(1):3-25.
55. Kreuter MW, Strecher VJ. Do tailored behavior change messages enhance the effectiveness of health risk appraisal? Results from a randomized trial. *Health Educ Res.* 1996;11(1):97-105.

## REFERENCES CITED

56. Spilman MA, et al. Effects of a corporate health promotion program. *J Occup Med.* 1986;78(7):285-89.
57. Clifford PA, Tan SY, Gorsuch RL. Efficacy of a self-directed behavioral health change program: weight, body composition, cardiovascular fitness, blood pressure, health risk, and psychosocial mediating variables. *J Behav Med.* 1991;14(3):303-23.
58. Kelly RB. Controlled trial of a time-efficient method of health promotion. *Am J Prev Med.* 1988;4(4):200-7.
59. Dunton S, Perkins D, Zopf K. The impact of worksite-based health risk appraisal programs on observed safety belt use. *Health Educ Res.* 1990;5:207-216.
60. Lauzon RRJ. A Randomized Controlled Trial on the Ability of Health Hazard Appraisal to Stimulate Appropriate Risk-Reduction Behavior. University of Oregon; 1977. Doctoral Dissertation.
61. Erfurt JC, Foote A, Heirich MA. Worksite wellness programs: Incremental comparison of screening and referral along, health education, follow-up counseling, and plant organization. *Am J Health Promot.* 1991;5(6):438-448.
62. Gemson D, Sloan R. Efficacy of computerized health risk appraisal as part of a periodic health exam at the worksite. *Am J Health Promot.* 1995;9:462-466.
63. Bertera RL. The effects of workplace health promotion on absenteeism and employment costs in a large industrial population [see comments]. *Am J Public Health.* 1990;80(9):1101-5.
64. Boudreau F, Godin G, Pineau R, et al. Health risk appraisal in an occupational setting and its impact on exercise behavior. *J Occup Environ Med.* 1995;37(9):1145-50.
65. Bamberg R, Acton RT, Goodson L, et al. The effect of risk assessment in conjunction with health promotion education on compliance with preventive behaviors. *J Allied Health.* 1989;18(3):271-80.
66. Schweitzer S, Atchison KA, Lubben JE, et al. Health promotion and disease prevention for older adults: opportunity for change or preaching to the converted? *Am J Prev Med.* 1994;10(4):223-229.
67. Aldana SG. Financial impact of worksite health promotion and methodological quality of the evidence. *Art Health Promot.* 1998;2(1):1-8.
68. Chapman LS. How Strong is the Relationship between Health Risks and Health Costs? *Art and Science of Health Promotion Conference*: Orlando, FL: 1995.
69. Heaney CA, Goetzel RZ. A review of health-related outcomes of multi-component worksite health promotion programs. *Am J Health Promot.* 1997;11(4):290-308.
70. O'Donnell MP, Bishop CA, Kaplan KL. Benchmarking best practices in workplace health promotion. *Art Health Promot.* 1997;1(1):1-8.
71. Pelletier KR. A review and analysis of the clinical and cost-effectiveness studies of comprehensive health promotion and disease management programs at the worksite: 1995-1998 update (IV). *Am J Health Promot.* 1999;13(6):333-45.
72. Stokols D, Pelletier K, Fieldings J. Integration of medical care and worksite health promotion. *JAMA.* 1995;273:1136-42.
73. Anderson DR, Stauffer MJ. The impact of worksite-based health risk appraisal on health-related outcomes: A review of the literature. *Am J Health Promot.* 1996;10(6):499-508.
74. Wilson MG, Holman PB, Hammock A. A comprehensive review of the effects of worksite health promotion and health-related outcomes. *Am J Health Promot.* 1996;10(6):429-35.
75. Acquista VW, Wachtel TJ, Gomes CI, et al. Home-based health risk appraisal and screening program. *J Community Health.* 1988;13(1):43-52.
76. Erfurt JC, Holtyn K. Health promotion in small business: what works and what doesn't work. *J Occup Med.* 1991;33(1):66-73.
77. Gibbs JO, Mulvaney D, Henes C, et al. Work-site health promotion; Five year trend in employee health care costs. *J Occup Med.* 1985;27(11):826-830.
78. Hornsby PP, Reeve RH, Gwaltney Jr. JM, et al. The University of Virginia health promotion and disease prevention program. *Am J Prev Med.* 1997;13(1):36-44.
79. Reed R, Mulvaney D, Billingham R, et al. Health Promotion Service Evaluation and Impact Study. Indianapolis, Indiana: Benchmark Press. 1986.
80. Sciacca J, Seehafer R, Reed R, et al. The impact of participation in health promotion on medical costs: a reconsideration of the Blue Cross and Blue Shield of Indiana study. *Am J Health Promot.* 1993;7(5):374-83.
81. Uriri JT, Thatcher-Winger R. Health risk appraisal and the older adult. *J Gerontol Nurs.* 1995;21(5):25-31.
82. Powell AJ, Lyons MK, Rumph JW, et al. Health risk appraisal and serum cholesterol nutrition education: an outcome study. *Mil Med.* 1996;161(2):70-4.

## REFERENCES CITED

83. Ellis LB, Joo HY, Gross CR. Use of a computer-based health risk appraisal by older adults. *J Fam Pract.* 1991;33(4):390-4.
84. Sakuragi C, Saito T, Wang F, et al. Lifestyle evaluation system to support health education. *Medinfo.* 1998;9 Pt 2:727-31.
85. Campbell MK, DeVellis BM, Strecher VJ, et al. Improving dietary behavior: the effectiveness of tailored messages in primary care settings. *Am J Public Health.* 1994;84(5):783-787.
86. Bull FC, Kreuter MW, Scharff DP. Effects of tailored, personalized and general health messages on physical activity. *Patient Educ Couns.* 1999;36:181-192.
87. Strecher VJ, Kreuter M, Den Boer DJ, et al. The effects of computer-tailored smoking cessation messages in family practice settings. *J Fam Pract.* 1994;39(3):262-70.
88. Brug J, Steenhaus I, Van Assema P, et al. The impact of computer-tailored nutrition intervention. *Prev Med.* 1996;25:236-242.
89. Rose CS. Integrating stage and continuum models to explain processing of exercise messages and exercise initiation among sedentary college students. *Health Psychol.* 2000;19(2):172-80.
90. Prochaska JO, DiClemente CC. Stages of change in the modification of problem behaviors. *Prog Behav Modif.* 1992;28:183-218.

## ARTICLES ACCEPTED

- Acquista VW, Wachtel TJ, Gomes CI, et al. Home-based health risk appraisal and screening program. *J Community Health*. 1988;13(1):43-52.
- Aldana SG, Jacobson BH, Kelley PL, et al. The effectiveness of a mobile worksite health promotion program in lowering employee health risk. *Am J Health Promot*. 1994;8(4):254-6.
- Baier C, Grodzin C, Port J, et al. Coronary risk factor behavior change in hospital personnel following a screening program. *Am J Prev Med*. 1992;8:115-122.
- Bamberg R, Acton RT, Goodson L, et al. The effect of risk assessment in conjunction with health promotion education on compliance with preventive behaviors. *J Allied Health*. 1989;18(3):271-80.
- Bartlett EE, Pegues HU, Shaffer CR, et al. Health hazard appraisal in a family practice center: An exploratory study. *J Community Health*. 1983;9:135-144.
- Bertera RL. Behavioral risk factor and illness day changes with workplace health promotion: two-year results. *Am J Health Promot*. 1993;7(5):365-73.
- Bertera RL. The effects of workplace health promotion on absenteeism and employment costs in a large industrial population [see comments]. *Am J Public Health*. 1990;80(9):1101-5.
- Bjurstrom LA, Alexiou NG. A program of heart disease intervention for public employees. A five year report. *J Occup Med*. 1978;20(8):521-31.
- Blair SN, Piserchia PV, Wilbur CS, et al. A public health intervention model for worksite health promotion: impact on exercise and physical fitness in a health promotion plan after 24 months. *JAMA*. 1986;255(7):921-6.
- Boudreau F, Godin G, Pineau R, et al. Health risk appraisal in an occupational setting and its impact on exercise behavior. *J Occup Environ Med*. 1995;37(9):1145-50.
- Burton LC, Paglia MJ, German PS, et al. The effect among older persons of a general preventive visit on three health behaviors: smoking, excessive alcohol drinking, and sedentary lifestyle. *Prev Med*. 1995;24(5):492-497.
- Clifford PA, Tan SY, Gorsuch RL. Efficacy of a self-directed behavioral health change program: weight, body composition, cardiovascular fitness, blood pressure, health risk, and psychosocial mediating variables. *J Behav Med*. 1991;14(3):303-23.
- Connell CM, Sharpe PA, Gallant MP. Effect of health risk appraisal on health outcomes in a university worksite health promotion trial. *Health Educ Res*. 1995;10:199-209.
- Conzett Th, Stuck A, Morf U, et al. Health risk appraisal for the elderly: Pilot testing of the report.
- Dunton S, Perkins D, Zopf K. The impact of worksite-based health risk appraisal programs on observed safety belt use. *Health Educ Res*. 1990;5:207-216.
- Elder JP, Williams SJ, Drew JA, et al. Longitudinal effects of preventive services on health behaviors among an elderly cohort. *Am J Prev Med*. 1995;11(6):354-9.
- Erfurt JC, Holtyn K. Health promotion in small business: what works and what doesn't work. *J Occup Med*. 1991;33(1):66-73.

- Erfurt JC, Foote A, Heirich MA. Worksite wellness programs: Incremental comparison of screening and referral along, health education, follow-up counseling, and plant organization. *Am J Health Promot.* 1991;5(6):438-448.
- Family Heart Study Group. Randomised controlled trial evaluating cardiovascular screening and intervention in general practice: principal results of British family heart study. *BMJ.* 1994;308:313-20.
- Fries JF, Bloch DA, Harrington H, et al. Two-year results of a randomized controlled trial of a health promotion program in a retiree population: The Bank of America Study. *Am J Med.* 1993;94(5):455-62.
- Fries JF, Fries ST, Parcell CL, et al. Health risk changes with a low-cost individualized health promotion program: effects at up to 30 months. *Am J Health Promot.* 1992;6(5):364-71.
- Fries JF, Harrington H, Edwards R, et al. Randomized controlled trial of cost reductions from a health education program: The California Public Employee's Retirement System (PERS) study. *Am J Health Promot.* 1994;8(3):216-223.
- Fries JF, McShane D. Reducing need and demand for medical services in high-risk persons. A health education approach. *West J Med.* 1998;169(4):201-7.
- Gemson D, Sloan R. Efficacy of computerized health risk appraisal as part of a periodic health exam at the worksite. *Am J Health Promot.* 1995;9:462-466.
- German PS, Burton LC, Shapiro S, et al. Extended coverage for preventive services for the elderly: response and results in a demonstration population. *Am J Public Health.* 1995;85(3):379-386.
- Goetzel RZ, Jacobson BH, Aldana SG, et al. Health care costs of worksite health promotion participants and non-participants. *JOEM.* 1998;40(4):341-346.
- Goetzel RZ, Kahr TY, Aldana SG, et al. An evaluation of Duke University's Live for Life Health Promotion Program and its impact on employee health. *Am J Health Promot.* 1996;10(5):340-342.
- Goetzel RZ, Sepulveda M, Knight K, et al. Association of IBM's 'A Plan for Life' health promotion program with changes in employee's health risk status. *JOM.* 1994;36(9):1005-1009.
- Gomel M, Oldenburg B, Simpson JM, et al. Work-site cardiovascular risk reduction: a randomized trial of health risk assessment, education, counseling, and incentives. *Am J Public Health.* 1993;83(9):1231-8.
- Grana JM, Goetz A, Medrea JJ, Thomasson JW. Impact of a worksite health risk appraisal program on health risks and medical spending of blue collar workers. *Proceedings of the 27th Annual Meeting of the Society of Prospective Medicine:* 1991.
- Hall MB. Use of personal health and risk appraisal curriculum (and health risk profile) in a college personal health course. *Proceedings of the 15th Annual Meeting of the Society of Prospective Medicine:* Bethesda, MD. 1979:39-40.
- Henritze J, Brammell HL, McGloin J. LIFE CHECK: a successful, low touch, low tech, in-plant, cardiovascular disease risk identification and modification program. *Am J Health Promot.* 1992;7(2):129-36.
- Johns RE. Health hazard appraisal--A useful tool in health education? *Proceedings of the 12th Annual Meeting of the Society of Prospective Medicine:* Bethesda, MD, 1977:61-65.
- Kellerman S, Felts W, Chenier T. The impact on factory workers of health risk appraisal and counseling in health promotion. *Am J Prev Med.* 1992;8:37-42.

- Kelly RB . Controlled trial of a time-efficient method of health promotion. *Am J Prev Med*. 1988;4(4):200-7.
- Kreuter MW, Strecher VJ. Do tailored behavior change messages enhance the effectiveness of health risk appraisal? Results from a randomized trial. *Health Educ Res*. 1996;11(1):97-105.
- Lauzon RRJ. A Randomized Controlled Trial on the Ability of Health Hazard Appraisal to Stimulate Appropriate Risk-Reduction Behavior. University of Oregon; 1977. Doctoral Dissertation.
- Leigh JP, Richardson N, Beck R, et al. Randomized controlled study of a retiree health promotion program. The Bank of American Study. *Arch Intern Med*. 1992;152(6):1201-6.
- Logsdon DN, Lazaro CM, Meier RV . The feasibility of behavioral risk reduction in primary medical care. *Am J Prev Med*. 1989;5(5):249-56.
- Mayer JA, Jermanovich A, Wright BL, et al. Changes in health behaviors of older adults: the San Diego Medicare Preventive Health Project. *Prev Med*. 1994;23(2):127-33.
- Nice D, Woodruff S. Self-selection in responding to a health risk appraisal: Are we preaching to the choir? *Am J Health Promot*. 1990;4:367-372.
- Patrick DL, Grembowski D, Durham M, et al. Cost and outcomes of Medicare reimbursement for HMO preventive services. *Health Care Financ Rev*. 1999;20(4):25-43.
- Pilon B, Renfroe D. Evaluation of an employee health risk appraisal program. *AAOHN J*. 1990;38:230-235.
- Powell AJ, Lyons MK, Rumph JW, et al. Health risk appraisal and serum cholesterol nutrition education: an outcome study. *Mil Med*. 1996;161(2):70-4.
- Rodnick J. Health behavior changes associated with health hazard appraisal counseling in an occupational setting. *Prev Med*. 1982;11:583-594.
- Shi L. The impact of increasing intensity of health promotion intervention on risk reduction. *Eval Health Prof*. 1992;15(1):3-25.
- Shipley RH , Orleans CT , Wilbur CS , et al. Effect of the Johnson & Johnson Live for Life program on employee smoking. *Prev Med*. 1988;17(1):25-34.
- Smith WA, Ekdahl SS, Henley CE. Use of Health Hazard Appraisal in counseling for reduction of risk factors. *J Am Osteopath Assoc*. 1985;85(12):809-14.
- Spilman MA, et al. Effects of a corporate health promotion program. *J Occup Med*. 1985;28(4):285-289.
- Stonecipher LJ, Hyner GC. The effects of a comprehensive health risk appraisal, basic screening, and interpretation session on employee health practices: differences between participants and nonparticipants. *Am J Health Promot*. 1993;7(3):167-9.
- Stonecipher LJ, Hyner GC. Health practices before and after a work-site health screening. *J Occup Med*. 1993;35:297-306.
- Uriri JT, Thatcher-Winger R. Health risk appraisal and the older adult. *J Gerontol Nurs*. 1995;21(5):25-31.
- Weinstein ND, Grubb PD, Vautier JS. Increasing automobile seat belt use: an intervention emphasizing risk susceptibility. *J Appl Psychol*. 1986;71(2):285-290.

Wilbur C, Gamer G. Marketing health to employees. In: Frederiksen L, et al. (Eds) *Marketing Health Behavior*. New York: Plenum, 1987.

Williams SJ, Elder JP, Seidman RL, et al. Preventive services in a Medicare managed care environment. *J Community Health*. 1997;22(6):417-18.



## ARTICLES REJECTED

- A controlled trial of multiphasic screening in middle-age: results of the South-East London Screening Study. The South-East London Screening Study Group. *Int J Epidemiol.* 1977;6(4):357-63.
- Medical management magnified under Medicare risk. *Public Sect Contract Rep.* 1997;3(7):97-100.
- Reduce risk by screening, managing frail elderly. *Public Sect Contract Rep.* 1997;3(1):1-6.
- Adams J, Mackey T, Lindenberg J, et al. Primary care at the worksite: the use of health risk appraisal in a nursing center. *AAOHN J.* 1995;43(1):17-22.
- Aldana SG. Financial impact of worksite health promotion and methodological quality of the evidence. *Art Health Promot.* 1998;2(1):1-8.
- Alemi F, Mosavel M, Stephens RC, et al. Electronic self-help and support groups. *Med Care.* 1996;34(10 Suppl):OS32-44.
- Althafer C. The evaluation of health risk appraisal/lifestyle programs at the Centers for Disease Control. *Proceedings of the 16th Annual Meeting of the Society of Prospective Medicine:* Bethesda, MD. 1981:30-32.
- Anderson DR, Stauffer MJ. The impact of worksite-based health risk appraisal on health-related outcomes: A review of the literature. *Am J Health Promot.* 1996;10(6):499-508.
- Avis NE, McKinlay JB, Smith KW. Is cardiovascular risk factor knowledge sufficient to influence behavior? *Am J Prev Med.* 1990;6(3):137-44.
- Avis NE, Smith KW, McKinlay JB. Accuracy of perceptions of heart attack risk: what influences perceptions and can they be changed? *Am J Public Health.* 1989;79(12):1608-12.
- Bechtel GA, Franklin R. Health risk appraisal differences between well elderly and university students. *J Community Health Nurs.* 1993;10(4):241-7.
- Becker MH, Janz NK. Behavioral science perspectives on health hazard/health risk appraisal. *Health Serv Res.* 1987;22(4):537-51.
- Beery WL, Greenwald HP. A modified health risk appraisal as a component of a senior health promotion program. *HMO Pract.* 1996;10(2):91-4.
- Beery WL, Schoenbach VJ, Wagner EH, et al. Description, Analysis and Assessment of Health Hazard/Health Risk Appraisal Programs: Final Report. Springfield, VA: National Technical Information Service. 1981.
- Belcher DW. Implementing preventive services. Success and failure in an outpatient trial. *Arch Intern Med.* 1990;150:2533-2541.
- Bellingham R. Debunking the myth of individual health promotion. *Occup Med.* 1990;5(4):665-75.
- Bellingham R, Johnson D, McCauley M, et al. Projected cost savings from AT&T Communications Total Life Concept (TLC) Process. In: Opatz JP. (ed) *Health Promotion Evaluation: Measuring the Organizational Impact.* Stevens Point, Wisconsin: National Wellness Institute. 1987. pgs. 35-42.
- Berlin JA, Thorington BD, McKinlay JB, et al. The accuracy of substitution rules for health risk appraisals. *Am J Health Promot.* 1990;4(3):214-219.
- Bertera RL. Planning and implementing health promotion in the workplace: a case study of the Du Pont Company experience. *Health Educ Q.* 1990;17(3):307-27.
- Best JA, Milsum JH. HHA and the evaluation of lifestyle change programs: Methodological issues. *Proceedings of the 13th Annual Meeting of the Society of Prospective Medicine:* Bethesda, MD. 1977:95-7.
- Black GC, Ashton AL Jr. Health risk appraisal in primary care. *Prim Care.* 1985;12(3):557-71.
- Blue Cross and Blue Shield of Michigan. Go to Health. Detroit, MI: Health Services Foundation; 1983.
- Bly JL, Jones RC, Richardson JE. Impact of worksite health promotion on health care costs and utilization. Evaluation of Johnson & Johnson's Live for Life program. *JAMA.* 1986;256(23):3235-40.
- Botelho RJ, Skinner H. Motivating change in health behavior. Implications for health promotion and disease prevention. *Prim Care.* 1995;22(4):565-89.
- Boult C. The prospective health care of older populations. Measuring Risk - Managing Outcomes: Using Assessment to Improve the Health Populations. *Proceedings of the 34th Annual Meeting of the Society of Prospective Medicine:* 1998:8-18.
- Boult C, Dowd B, McCaffrey D, et al. Screening elders for risk of hospital admission [see comments]. *J Am Geriatr Soc.* 1993;41(8):811-7.
- Boult C, Pacala JT, Boult LB. Targeting elders for geriatric evaluation and management: reliability, validity, and practicality of a questionnaire. *Aging (Milano).* 1995;7(3):159-64.
- Boult C, Pualwan TF, Fox PD, et al. Identification and assessment of high-risk seniors. HMO Workgroup on Care Management. *Am J Manag Care.* 1998;4(8):1137-46.

- Bowman J, Sanson-Fisher R, Boyle C, et al. A randomised controlled trial of strategies to prompt attendance for a Pap smear. *J Med Screen*. 1995;2(4):211-8.
- Breslow L. Behavioral factors in the health status of urban populations. *J Urban Health*. 1998;75(2):242-50.
- Breslow L, Beck JC, Morgenstern H, et al. Development of a health risk appraisal for the elderly (HRA-E). *Am J Health Promot*. 1997;11(5):337-43.
- Breslow L, Fielding J, Herrman AA, et al. Worksite health promotion: Its evolution and the Johnson & Johnson experience. *Prev Med*. 1990;19:13-21.
- Broberg B. An organizational health improvement model that integrates health promotion, chronic condition management and health consumer education processes. Measuring Risk - Managing Outcomes: Using Assessment to Improve the Health Populations. *Proceedings of the 34th Annual Meeting of the Society of Prospective Medicine*: 1998:19-26.
- Brug J, Steenhuis I, van Assema P, et al. The impact of a computer-tailored nutrition intervention. *Prev Med*. 1996;25(3):236-42.
- Bruno R, Arnold C, Jacobson L, et al. Randomized controlled trial of a nonpharmacologic cholesterol reduction program at the worksite. *Prev Med*. 1983;12(4):523-32.
- Bull FC, Kreuter MW, Scharff DP. Effects of tailored, personalized and general health messages on physical activity. *Patient Educ Couns*. 1999;36:181-192.
- Burton LC, Steinwachs DM, German PS, et al. Preventive services for the elderly: would coverage affect utilization and costs under Medicare? *Am J Public Health*. 1995;85(3):387-391.
- Chapman LS. How Strong is the Relationship between Health Risks and Health Costs? *Art and Science of Health Promotion Conference*: Orlando, FL: 1995.
- Chapman LS, Burt R, Nelson D, and et al. The impact of a financial incentive on absenteeism, medical care claims costs, and workers compensation costs in a hospital-based worksite health promotion program.
- Churgin P, Strawn K. Population health management with computerized patient records. *Eff Clin Pract*. 1998;1(2):61-5.
- Cioffi JP. the effect of health status feedback on health beliefs: An inquiry into the prebehavioral outcomes of a health hazard appraisal. *Proceedings of the 15th Annual Meeting of the Society of Prospective Medicine*: Bethesda, MD. 1979:41-47.
- Clemens EL, Hayes HE. Assessing and balancing elder risk, safety and autonomy: decision-making practices of health care professionals. *Home Health Care Serv Q*. 1997;16(3):3-20.
- Cohen BA, Di Palo M, Fleming JM, Higgins LE, More K, Mounib EL. Use of a health status/health risk survey for mature adults in a managed care population. Measuring Risk-Managing Outcomes: Using Assessment to Improve the Health Populations. *Proceedings of the 34th Annual Meeting of the Society of Prospective Medicine*: 1998:50-61.
- Coleman T. Health promotion. Sensitive outcome measures are needed. *BMJ*. 1994;309(6968):1581-2.
- Conrad KM, Riedel JE, Gibbs JO. Effect of worksite health promotion programs on employee absenteeism. A comparative analysis. *AAOHN J*. 1990;38(12):573-80.
- D'Agostino RB, Belanger AJ, Markson EW, et al. Development of health risk appraisal functions in the presence of multiple indicators: the Framingham Study nursing home institutionalization model. *Stat Med*. 1995;14(16):1757-70.
- Day HM, Roth LJ. The design and delivery of an HRA in the manufacturing setting. Measuring Risk - Managing Outcomes: Using Assessment to Improve the Health Populations. *Proceedings of the 34th Annual Meeting of the Society of Prospective Medicine*: 1998:71-74.
- DeFries GH. Assessing the use of health risk appraisals. *Bus Health*. 1987;4(6):38-42.
- Doerr BT, Hutchins EB. Health risk appraisal: process, problems, and prospects for nursing practice and research. *Nurs Res*. 1981;30(5):299-306.
- Dowell AC, Ochera JJ, Hilton SR, et al. Prevention in practice: results of a 2-year follow-up of routine health promotion interventions in general practice. *Fam Pract*. 1996;13(4):357-62.
- Dunton S, Elias W. Well aware about health: A controlled clinical trial of health assessment and behavior modification. *Proceedings of the 15th Annual Meeting of the Society of Prospective Medicine*: Bethesda, MD. 1979:31-38.
- Eckhart GA, Ebro LL, Claypool PL. Needs, interests, and attitudes of university faculty for a wellness program. *J Am Diet Assoc*. 1988;88(8):916-20.
- Edington DW, Yen LT, Witting P. The financial impact of changes in personal health practices. *J Occup Environ Med*. 1997;39(11):1037-46.

- Elias WS, Murphy RJ. The case for health promotion programs containing health care costs: A review of the literature. *Am J Occup Ther.* 1986;40(11):759-63.
- Ellis LB, Joo HY, Gross CR. Use of a computer-based health risk appraisal by older adults. *J Fam Pract.* 1991;33(4):390-4.
- Elnitsky C, Alexy B. Identifying health status and health risks of older rural residents. *J Community Health Nurs.* 1998;15(2):61-75.
- Emmons KM, Linnan LA, Shadel WG, et al. The Working Healthy Project: a worksite health-promotion trial targeting physical activity, diet, and smoking. *J Occup Environ Med.* 1999;41(7):545-55.
- Erfurt JC, Foote A, Heirich MA, et al. Improving participation in worksite wellness programs: Comparing health education classes, a menu approach, and follow-up counseling. *Am J Health Promot.* 1990;4(4):270-278.
- Evans GF, Harris P, McNeill AW, et al. Montana State University: An employee wellness program financed by a self-insurance group health plan. *Am J Health Promot.* 1989;3:25-33.
- Fielding JE. Appraising the health of health risk appraisal [editorial]. *Am J Public Health.* 1982;72(4):337-40.
- Fielding JE. Effectiveness of employee health improvement programs. *J Occup Med.* 1982;24(11):907-16.
- Fillit HM, Hill J, Picariello G, et al. How the principles of geriatric assessment are shaping managed care. *Geriatrics.* 1998;53(4):76-8, 81-2, 88-9; quiz 90.
- Fletcher DJ, Smith GL. Health-risk appraisal. Helping patients predict and prevent health problems. *Postgrad Med.* 1986;80(8):69-71, 74-6, 81-2 passim.
- Freedman JD, Beck A, Robertson B, et al. Using a mailed survey to predict hospital admission among patients older than 80. *J Am Geriatr Soc.* 1996;44(6):689-92.
- Friedman GD, Collen MF, Fireman BH. Multiphasic Health Checkup Evaluation: A 16-year follow-up. *J Chronic Dis.* 1986;39(6):453-63.
- Friedman RH. Automated telephone conversations to assess health behavior and deliver behavioral interventions. *J Med Syst.* 1998;22(2):95-102.
- Friedman RH, Stollerman JE, Mahoney DM, et al. The virtual visit: using telecommunications technology to take care of patients. *J Am Med Inform Assoc.* 1997;4(6):413-25.
- Fries JF. Strategies for reduction of morbidity. *Am J Clin Nutr.* 1992;55(6 Suppl):1257S-1262S.
- Fries JF, Bailey L, Richardson N. Identification and intervention with high risk individuals. Measuring Risk - Managing Outcomes: Using Assessment to Improve the Health Populations. *Proceedings of the 34th Annual Meeting of the Society of Prospective Medicine:* 1998:85-96.
- Fries JF, Carey C, McShane DJ. Patient education in arthritis: Randomized controlled trial of a mail- delivered program. *J Rheumatol.* 1997;24(7):1378-83.
- Fries JF, Green LW, Levine S. Health promotion and the compression of morbidity [see comments]. *Lancet.* 1989;1(8636):481-3.
- Fries JF, Koop CE, Beadle CE, et al. Reducing health care costs by reducing the need and demand for medical services. The Health Project Consortium. *N Engl J Med.* 1993;329(5):321-5.
- Fries JF, Koop CE, Sokolov J, et al. Beyond health promotion: Reducing need and demand for medical care. *Health Aff (Millwood).* 1998;17(2):70-84.
- Gaebelein CJ, Bowman B. Correspondence of demographic and health risk profiles from 96,000 Internet-based health risk surveys to the general US population. *Society of Prospective Medicine 35th Annual Meeting:* Colorado Springs, CO. 1999:82-85.
- Gazmararian JA, Foxman B, Yen LT, et al. Comparing the predictive accuracy of health risk appraisal: the Centers for Disease Control versus Carter Center program. *Am J Public Health.* 1991;81(10):1296-301.
- Gemson DH, Sloan RP. Efficacy of computerized health risk appraisal as part of a periodic health examination at the worksite. *Am J Health Promot.* 1995;9(6):462-6.
- Gibbs JO, Mulvaney D, Henes C, et al. Work-site health promotion; Five year trend in employee health care costs. *J Occup Med.* 1985;27(11):826-830.
- Gillam S, McCartney P, Thorogood M. Health promotion in primary care. *BMJ.* 1996;312(7027):324-5.
- Goetz AA, Duff JF, Bernstein JE. Health risk appraisal: the estimation of risk. *Public Health Rep.* 1980;95(2):119-26.
- Goetz AA, McTyre RB. Health risk appraisal: some methodologic considerations. *Nurs Res.* 1981;30(5):307-13.
- Goetzel RZ, Anderson DR, Whitmer RW, et al. The relationship between modifiable health risks and health care expenditures: An analysis of the multi-employer HERO health risk and cost database. *JOEM.* 1998;40(10):248-259.

- Goetzel RZ, Dunn RL, Ozminkowski RJ, et al. Differences between descriptive and multivariate estimates of the impact of Chevron Corporation's Health Quest Program on medical expenditures. *JOEM*. 1998;40(6):538-545.
- Goetzel RZ, Juday TR, Ozminkowski RJ. What's the ROI? A systematic review of Return-On-Investment studies of corporate health and productivity management initiatives. *AWHP's Worksite Health*. 1999:12-21.
- Golaszewski T, Snow D, Lynch W, et al. A benefit-to-cost analysis of a work site health promotion program. *J Occup Med*. 1992;34(12):1164-1172.
- Goulding R. Health promotion. *J R Soc Med*. 1994;87(7):432-3.
- Gran B. Population based CVD health risk appraisal. A method to create a "critical mass" of health-conscious people. *Scand J Soc Med*. 1994;22(4):256-63.
- Greene J. Sizing up the sickest. *Hosp Health Netw*. 1998;72(9):28-30.
- Greenwood PJ, Ellis LB, Gross CR. Knowledge gains from a computer-based health risk appraisal. *Proceedings From the Annual Symposium of Computer Application to Medical Care*: 1991:173-6.
- Hancock, J. R. and et al. Patient compliance with health hazard appraisal recommendations. Department of Community Health and Epidemiology, Queen's University, Kingston, Ontario, June 1978. 77.
- Harris JS. The cost effectiveness of health promotion programs. *J Occup Med*. 1991;33(3):327-30.
- Harvey MR, Shitmer RW, Hilyer J, et al. The impact of a comprehensive medical benefits cost management program for the city of Birmingham: Results at five years. *Am J Health Promot*. 1993;7(4):296-303.
- Heaney CA, Goetzel RZ. A review of health-related outcomes of multi-component worksite health promotion programs. *Am J Health Promot*. 1997;11(4):290-308.
- Hill L, Faine N. Using health risk appraisal in clinical practice. *West J Med*. 1992;156(5):535.
- Holt MC, McCauley M, Paul D. Health impacts of AT&T's Total Life Concept (TLC) program after five years. *Am J Health Promot*. 1995;9(6):421-5.
- Holzbach RL, Piserchia PV, McFadden DW, et al. Effect of a comprehensive health promotion program on employee attitudes. *J Occup Med*. 1990;32(10):973-8.
- Hornsby PP, Reeve RH, Gwaltney Jr. JM, et al. The University of Virginia health promotion and disease prevention program. *Am J Prev Med*. 1997;13(1):36-44.
- Hutchins EB. Health Risk Appraisal. *AAPA's 27th Physician Assistant Conference*: Atlanta, Georgia. 1999.
- Hutchinson HL, Norman LA. Compliance with influenza immunization: A survey of high-risk patients at a family medicine clinic. *J Am Board Fam Pract*. 1995;8(6):448-51.
- Hyner GC, Dewey J, Melby CL. Relationship between employees' health risk appraisal scores and their serum lipoproteins: results from a worksite health promotion program. *Health Educ*. 1986;17(3):32-3.
- Hyner GC, Melby CL. Health risk appraisals: use and misuse. *Fam Community Health*. 1985;7(4):13-25.
- Irvine AB. Interactive health risk appraisal for behavior change. *Health Educ Behav*. 1997;24(1):8-9.
- Irvine AB, Beauchamp N, Ary D, Noell J, Wells J. Use of interactive multimedia HRA's: Three studies. *34th Annual Meeting of Society of Prospective Medicine*: Newport, Rhode Island. 1998.
- Jacoby LH. Comprehensive functional assessment. *Med Group Manage*. 1986;33(3):56-60.
- Jones RC, Bly JL, Richardson JE. A study of a work site health promotion program and absenteeism. *J Occup Med*. 1990;32(2):95-9.
- Kazis LE, Miller DR, Clark J, et al. Health-related quality of life in patients served by the Department of Veterans Affairs: results from the Veterans Health Study. *Arch Intern Med*. 1998;158(6):626-32.
- Kazis LE, Ren XS, Lee A, et al. Health status in VA patients: results from the Veterans Health Study. *Am J Med Qual*. 1999;14(1):28-38.
- Kennedy M. Growing old doesn't mean growing ill. *WMJ*. 1998;97(11):28-9.
- Kinne S, Probart C, Gritz ER. Cancer-risk-related health behaviors and attitudes of older workers. Working Well Research Group. *J Cancer Educ*. 1996;11(2):89-95.
- Kirscht JP. Process and measurement issues in health risk appraisal [editorial]. *Am J Public Health*. 1989;79(12):1598-9.
- Kittleson MJ. Innovative uses of technology: Addressing the needs of health professionals via the Internet. Measuring Risk - Managing Outcomes: Using Assessment to Improve the Health Populations. *Proceedings of the 34th Annual Meeting of the Society of Prospective Medicine*: 1998:165-176.
- Knight KK, Goetzel RZ, Fielding JE, et al. An evaluation of Duke University's Live for Life health promotion program on changes in worker absenteeism. *JOM*. 1994;36(5):533-536.
- Kok G. Research in health education and promotion. *Hygie*. 1991;10(2):12.
- Koplan JP, Livengood JR. The influence of changing demographic patterns on our health promotion priorities. *Am J Prev Med*. 1994;10(3 Suppl):42-4.

- Kreuter MW, et al. How does physician advice influence patient behavior. *Arch Fam Med*. 2000;9:426-33.
- Kreuter MW, et al. Physician recommendations for diet and physical activity: Which patients get advised to change? *Prev Med*. 1997;26:825-33.
- Kreuter MW, Oswald DL, Bull FC, et al. Are tailored health education materials always more effective than non-tailored materials? *Health Educ Res*. 2000;15(2):101-111.
- Kreuter MW, Strecher VJ. Changing inaccurate perceptions of health risk: results from a randomized trial. *Health Psych*. 1995;14(1):56-63.
- Kreuter MW, Strecher VJ, Glassman. One size does not fit all: The case for tailoring print materials. *Ann Behav Med*. 1999;21(4):276-83.
- Kreuter MW, Bull FC, Clark EM, Oswald DL. Understanding how people process health information: a comparison of tailored and non-tailored weight loss materials. *Health Psych*. 1999;18(5):487-494.
- Krishna S, Balas EA, Spencer DC, et al. Clinical trials of interactive computerized patient education: implications for family practice. *J Fam Pract*. 1997;45(1):25-33.
- Kronenfeld JJ, Jackson K, Blair SN, et al. Evaluating health promotion: a longitudinal quasi-experimental design. *Health Educ Q*. 1987;14(2):123-39.
- Langham S, Thorogood M, Normand C, et al. Costs and cost effectiveness of health checks conducted by nurses in primary care: The Oxcheck study. *BMJ*. 1996;312(7041):1265-8.
- Lauzon RR. A randomized controlled trial of the ability of HHA to stimulate appropriate risk reduction behavior. *Proceedings of the 13th Annual Meeting of the Society of Prospective Medicine*: Bethesda, MD. 1977:102-106.
- Lave JR, Ives DG, Traven ND, et al. Evaluation of a health promotion demonstration program for the rural elderly. *Health Serv Res*. 1996;31(3):261-81.
- Leigh JP, Fries JF. Health habits, health care use and costs in a sample of retirees. *Inquiry*. 1992;29(1):44-54.
- Liljas B, Lahdensuo A. Is asthma self-management cost-effective? [In Process Citation]. *Patient Educ Couns*. 1997;32(1 Suppl):S97-104.
- Lohr KN. Advances in health status assessment. Overview of the conference. *Med Care*. 1989;27(3 Suppl):S1-11.
- Lorig K, Kraines RG, Brown BW Jr, et al. A workplace health education program that reduces outpatient visits. *Med Care*. 1985;23(9):1044-54.
- Luskin FM, Newell KA, Griffith M, et al. A review of mind-body therapies in the treatment of cardiovascular disease. Part 1: Implications for the elderly. *Altern Ther Health Med*. 1998;4(3):46-61.
- Lynch WD, Golaszewski TJ, Clearie A, et al. Characteristics of self-selected responders to a health risk appraisal: generalizability of corporate health assessments. *Am J Public Health*. 1989;79(7):887-8.
- Mackey T, Adams J. The use of health risk appraisal in a nursing center: costs and benefits. *NLN Publ*. 1994(41-2629):253-65.
- Marciano LA. Rhode Island health risk appraisal program in worldwide use. *R I Med J*. 1985;68(5):227-8.
- Matheson PR, Fallon LF Jr. Nurse telephone screening of new Medicare HMO members: a pilot program. *HMO Pract*. 1995;9(1):14-8.
- McDermott S. The health promotion needs of older people. *Prof Nurse*. 1995;10(8):530-3.
- McDowell I. The validity of health risk appraisal [letter]. *Nurs Res*. 1982;31(6):347.
- McKie L, al-Bashir M, Anagnostopoulou T, et al. Defining and assessing risky behaviors. *J Adv Nurs*. 1993;18(12):1911-6.
- Meeker WC. A review of the validity and efficacy of the Health Risk Appraisal instrument. *J Manipulative Physiol Ther*. 1988;11(2):108-13.
- Merrill B, Sleet D. Safety belt use and related health variables in a worksite health promotion program. *Health Educ Q*. 1984;11:171-179.
- Milliman & Robertson I, Control Data Corporation. Health Risks and Behavior: The Impact on Medical Costs - A Preliminary Study. Milliman & Robertson, Inc. 1987.
- Mukamel DB, Chou CC, Zimmer JG, et al. The effect of accurate patient screening on the cost-effectiveness of case management programs. *Gerontologist*. 1997;37(6):777-84.
- NHS Centre for Reviews and Dissemination. Preventing falls and unintentional injuries in older people. *Eff Health Care*. 1996;2:4.
- Noell J. Changing health related behaviors: New directions for interactive media. *Med Educ Tech*. 1994;4:4-8.
- Noell J, Glasgow RE. Interactive technology applications for behavioral counseling: Issues and opportunities for health care settings. *Am J Prev Med*. 1999;17(4):269-?
- O'Donnell MP, Bishop CA, Kaplan KL. Benchmarking best practices in workplace health promotion. *Art Health Promot*. 1997;1(1):1-8.

- O'Neill C, Normand C, Cupples M, et al. Cost effectiveness of personal health education in primary care for people with angina in the greater Belfast area of Northern Ireland. *J Epidemiol Community Health*. 1996;50(5):538-40.
- Ozminkowski RJ, Dunn RL, Goetzel RZ, et al. A return on investment evaluation of the Citibank, N.A., Health Management Program. *Am J Health Promot*. 1999;14(1):31-43.
- Pacala JT, Boulton C, Boulton L. Predictive validity of a questionnaire that identifies older persons at risk for hospital admission. *J Am Geriatr Soc*. 1995;43(4):374-7.
- Pacala JT, Boulton C, Reed RL, et al. Predictive validity of the Pra instrument among older recipients of managed care [see comments]. *J Am Geriatr Soc*. 1997;45(5):614-7.
- Pelletier KR. Clinical and cost outcomes of multifactorial, cardiovascular risk management interventions in worksites: a comprehensive review and analysis. *J Occup Environ Med*. 1997;39(12):1154-69.
- Pelletier KR. Getting your money's worth: the strategic planning program of the Stanford Corporate Health Program. *Am J Health Promot*. 1994;8(5):323-7, 376.
- Pelletier KR. Mind-body health: research, clinical, and policy applications. *Am J Health Promot*. 1992;6(5):345-58.
- Pelletier KR. A review and analysis of the health and cost-effective outcome studies of comprehensive health promotion and disease prevention programs at the worksite: 1993-1995 update. *Am J Health Promot*. 1996;10(5):380-8.
- Pelletier KR, Klehr NL, McPhee SJ. Developing workplace health promotion programs through university and corporate collaboration. A review of the Corporate Health Promotion Research Program. *Am J Health Promot*. 1988;2(4):75-81.
- Pelletier KR, Rodenburg A, Vinther A, et al. Managing job strain: a randomized, controlled trial of an intervention conducted by mail and telephone. *J Occup Environ Med*. 1999;41(4):216-23.
- Powell DR, Sharp SL, Farnell SD, et al. Implementing a self care program. Effect on employee health care utilization. *AAOHN J*. 1997;45(5):247-53.
- Raines JR, Ellis LB. A conversational microcomputer-based health risk appraisal. *Comput Programs Biomed*. 1982;14(2):175-83.
- Rakowski W. The status of health behavior indicators among older adults: Focusing on the "high risk" elderly. *R I Med J*. 1993;76(1):41-6.
- Ramey DR, Fries JF, Singh G. The health assessment questionnaire 1995 --Status and review. In: Spilker B. (ed.) *Quality of Life and Pharmacoeconomics in Clinical Trials*. Philadelphia: Lippincott-William-and-Wilkins, 1995. pgs. 227-237.
- Redland AR, Stuifbergen AK. Strategies for maintenance of health-promoting behaviors. *Nurs Clin North Am*. 1993;28(2):427-42.
- Reed BW, Wineman J, Bechtel GA. Using a health risk appraisal to determine an Appalachian community's health care needs. *J Cult Divers*. 1995;2(4):131-5.
- Robbins S, Coogie C, Link-Mullison M. The utility of brief health promotion workshops. *Health Educ*. 1987;Aug/Sept:36-38.
- Robinson D, Allaway S. Health risk appraisal in the UK--some preliminary results. *Methods Inf Med*. 1998;37(2):143-6.
- Robinson TN. Community health behavior change through computer network health promotion: Preliminary findings from Stanford Health-Net. *Comput Methods Programs Biomed*. 1989;30(2-3):137-44.
- Robinson TN, Patrick K, Eng TR, et al. An evidence-based approach to interactive health communication: a challenge to medicine in the information age. Science Panel on Interactive Communication and Health. *JAMA*. 1998;280(14):1264-9.
- Sacks JJ, Krushat WM, Newman J. Reliability of the health hazard appraisal. *Am J Public Health*. 1980;70(7):730-2.
- Safer MA. An evaluation of the health hazard appraisal based on survey data from a randomly selected population. *Public Health Rep*. 1982;97(1):31-7.
- Sakuragi C, Saito T, Wang F, et al. Lifestyle evaluation system to support health education. *Medinfo*. 1998;9 Pt 2:727-31.
- Sander RW, Holloway RL, Eliason BC, et al. Patient-initiated prevention discussions. Two interventions to stimulate patients to initiate prevention discussions. *J Fam Pract*. 1996;43(5):468-74.
- Saphire LS. Comprehensive health promotion: Opportunities for demonstrating value added to the business. *AAOHN J*. 1995;43(11):570-3.
- Schneider EC, Eisenberg JM. Strategies and methods for aligning current and best medical practices. The role of information technologies. *West J Med*. 1998;168(5):311-8.
- Schoenbach VJ. Appraising health risk appraisal [editorial]. *Am J Public Health*. 1987;77(4):409-11.

- Schoenbach VJ, Wagner EH, Beery WL. Health risk appraisal: review of evidence for effectiveness. *Health Serv Res.* 1987;22(4):553-80.
- Schoenbach VJ, Wagner EH, Karon JM. The use of epidemiologic data for personal risk assessment in health hazard/health risk appraisal programs. *J Chronic Dis.* 1983;36(9):625-38.
- Schweitzer S, Atchison KA, Lubben JE, et al. Health promotion and disease prevention for older adults: opportunity for change or preaching to the converted? *Am J Prev Med.* 1994;10(4):223-229.
- Sciacca J, Seehafer R, Reed R, et al. The impact of participation in health promotion on medical costs: a reconsideration of the Blue Cross and Blue Shield of Indiana study. *Am J Health Promot.* 1993;7(5):374-83.
- Sechrest RC, Henry DJ. Computer-based patient education: observations on effective communication in the clinical setting. *J Biocommun.* 1996;23(1):8-12.
- Shephard RJ, Corey P, Renzland P, et al. The influence of an employee fitness and lifestyle modification program upon medical care costs. *Can J Public Health.* 1982;73(4):259-63.
- Shi L. Health promotion, medical care use, and costs in a sample of worksite employees. *Eval Rev.* 1993;17(5):475-487.
- Smith DM, Zhou XH, Weinberger M, et al. Mailed reminders for area-wide influenza immunization: A randomized controlled trial. *J Am Geriatr Soc.* 1999;47(1):1-5.
- Smith KW, McKinlay SM, McKinlay JB. The reliability of health risk appraisals: a field trial of four instruments. *Am J Public Health.* 1989;79(12):1603-7.
- Smith KW, McKinlay SM, McKinlay JB. The validity of health risk appraisals for coronary heart disease: results from a randomized field trial. *Am J Public Health.* 1991;81(4):466-70.
- Smith KW, McKinlay SM, Thorington BD. The validity of health risk appraisal instruments for assessing coronary heart disease risk. *Am J Public Health.* 1987;77(4):419-24.
- Somers AR. Why not try preventing illness as a way of controlling Medicare costs? *N Engl J Med.* 1984;311(13):853-6.
- Speller V, Learmonth A, Harrison D. The search for evidence of effective health promotion. *BMJ.* 1997;315(7104):361-3.
- Stachtchenko S, Jenicek M. Conceptual differences between prevention and health promotion: Research implications for community health programs. *Can J Public Health.* 1990;81(1):53-9.
- Strecher VJ, Kreuter MW, Kobrin SC. Do cigarette smokers have unrealistic perceptions of their heart attack, cancer, and stroke risks? *J Behav Med.* 1995;18(1):45-54.
- Stuck AE, Bachmann M, Ludwig R, et al. Health risk appraisal for the elderly: Feasibility of a self-administered questionnaire and the prevalence of disability risk factors in a Swiss population.
- Sutton JP, Aliberti EM. Characteristics of high-cost older adults who are newly enrolled in an HMO. *Med Interface.* 1994;7(7):65-8, 71.
- Taitel MS, Kotses H, Bernstein IL, et al. A self-management program for adult asthma. Part II: Cost-benefit analysis. *J Allergy Clin Immunol.* 1995;95(3):672-6.
- Tate D, et al. Development and evaluation of an internet behavior therapy program for weight loss. *Obesity Research.* 1999;7(supplement 1).
- The HMO Workgroup on Care Management. Planning Care for High-Risk Medicare HMO Members: A Report From the HMO Workgroup in Care Management; 1997.
- Turner CJ. Health risk appraisals: the issues surrounding use in the workplace. *AAOHN J.* 1995;43(7):357-61.
- Turpie I, Strang D, Darzins P, et al. Health status assessment of the elderly. *Pharmacoeconomics.* 1997;12(5):533-46.
- van Rossum E, Frederiks CM, Philipsen H, et al. Effects of preventive home visits to elderly people. *BMJ.* 1993;307(6895):27-32.
- Vetter NJ, Jones DA, Victor CR. Effect of health visitors working with elderly patients in general practice: a randomised controlled trial. *BMJ.* 1984;288(6414):369-72.
- Vickery DM, Golaszewski TJ, Wright EC, et al. The effect of self-care interventions on the use of medical service within a Medicare population. *Med Care.* 1988;26(6):580-8.
- Wachtel TJ. The connection between health promotion and health-care costs: Does it matter? *Am J Med.* 1993;94(5):451-4.
- Wagner EH. Preventing decline in function. Evidence from randomized trials around the world. *West J Med.* 1997;167(4):295-8.
- Wagner EH, Beery WL, Schoenbach VJ, et al. An assessment of health hazard/health risk appraisal. *Am J Public Health.* 1982;72(4):347-52.

- Wallace RB. Assessing the health of individuals and populations in surveys of the elderly: some concepts and approaches. *Gerontologist*. 1994;34(4):449-53.
- Wasson JH, Stukel TA, Weiss JE, et al. A randomized trial of the use of patient self-assessment data to improve community practices. *Eff Clin Pract*. 1999;2(1):1-10.
- Weinberger M, Smith DM, Katz BP, et al. The cost-effectiveness of intensive postdischarge care. A randomized trial. *Med Care*. 1988;26(11):1092-102.
- Weinberger M, Tierney WM, Booher P, et al. Can the provision of information to patients with osteoarthritis improve functional status? A randomized, controlled trial. *Arthritis Rheum*. 1989;32(12):1577-83.
- Welch HG, Albertsen PC, Nease RF, et al. Estimating treatment benefits for the elderly: the effect of competing risks. *Ann Intern Med*. 1996;124(6):577-84.
- White J, Nezey IO. Project Wellness: A collaborative health promotion program for older adults. *Nursing Connections*. 1996;9(1):21-7.
- White Jr. GL. Health promotions. *Mil Med*. 1991;156(12):693.
- Wilbur CS. The Johnson & Johnson program. *Prev Med*. 1983;12(5):672-81.
- Wonderling D, McDermott C, Buxton M, et al. Costs and cost effectiveness of cardiovascular screening and intervention: the British family heart study. *BMJ*. 1996;312(7041):1269-73.
- Yen LT, Edington DW, Witting P. Associations between health risk appraisal scores and employee medical claims costs in a manufacturing company. *Am J Health Promot*. 1991;6(1):46-54.
- Yoshida K, Okazaki N, Hinohara S, et al. Health-risk appraisal applied to ordinary AMHTS. *Methods Inf Med*. 1993;32(3):260-3.
- Zimmerman E, Gold D. More than online health risk assessment. Integrating online HRA and resources into comprehensive health management programs. *Society of Prospective Medicine 35th Annual Meeting*: Colorado Springs, CO. 1999:116-125.
- Zimmerman EM, Horton-La Forge B. Detection and prevention of cardiac risk factors: health risk assessment and targeted follow-up in a managed care population.(Economic Forces Affecting the Continuum of Care). *J Cardiovascular Nursing*. 1996;11(1):27(12).



## ARTICLES REJECTED